


MIXVFFS

VERTICAL FORM FILL & SEAL MACHINE

AUTOMATIC FORM, FILL & SEAL BAGGING MACHINE FOR INDUSTRY



MIXVFFS - VERTICAL FORM FILL & SEAL MACHINE

Automatic form, fill & seal bagging machine for industry



Form/fill/seal machine Mod. CV5010,
with cup doser



Form/fill/seal machine Mod CV5110,
weighing unit with 4 scales



Form/fill/seal machine Mod. CV5010,
with screw-fed weighing unit

Min. bag dimensions

2 in. - 4 in.

Max. production with 100 grs. bag

60 bags per minute

Max. reel diameter

15.75 in.

Max. bag dimensions

10 in. 15 in.

Max. production with Kg. 3 bags

50 bags per minute

Absorbed power

3KW



**Stainless Steel Form/fill/seal machine
Mod. CV4025 with cup doser**

Min. bag dimensions	8 in. x 8 in.
Max. bag dimensions	18 in. x 26.25 in.
Max. production with 2Kg. bag	35 bags per minute
Max. production with 25KG. bag	25 bags per minute
Max. reel diameter	25 in.
Absorbed power	7KW



**Stainless Steel Form/fill/seal machine
Mod. CV4025 with belt doser**



**Stainless Steel Form/fill/seal machine
Mod. CV4025 with weighing unit**





Form/fill/seal machine Mod. CV5080
with belt doser DNSTAR 4 for difficult flowing products (bark, light peat, silage, ...)



PACKAGING SOLUTIONS



MIXING



ENGINEERING SERVICES



SILO FLEX